
Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.





Bulletin No. 1

April 1, 1937



Thomas B. Meehan Co.

DRESHER, PA.

Telegraph address, Ambler, Pa.

TERMS

NOTE: In addition to this list we can furnish many other varieties not generally called We can also supply larger and smaller sizes in most all the varieties listed.

B. & B.: Prices shown include B. & B. on all varieties generally offered this way.

PACKING. Cost of box and packing additional. When cash is sent with order add 15 per cent of the bill of goods to cover packing charges.

DELIVERY. To freight and express station, Dresher, Pa.

RESPONSIBILITY. After goods are placed on board cars here, we assume no responsibility for their safe delivery or any injury caused by delay in delivery by the transportation company.

QUANTITIES: 5 of any one variety and size furnished at the rate quoted per ten. 25 at the rate quoted per hundred.

the rate quoted per hundr	ea.		
Uı	nit Price	in Quar	tities
		Per	Per
ABELIA	Each	10	100
grandiflora, Glossy Abelia	a		
grandiflora, Glossy Abelia 1½ to 2 ft. B. & B 2 to 3 ft. B. & B	.70	.55	.45
ABIES—Fir	.85	.65	.55
concolor. White Eir			
2 to 2½ ft	1.10	.90	.70
2 ½ to 3 ft	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\frac{1.25}{1.75}$	$\begin{array}{c c} 1.00 \\ 1.50 \end{array}$
4 to 5 ft	2.85	2.35	1.50
5 to 6 ft	4.00	3.25	• • • •
ACANTHOPANAX pentaphylla, Five-leaf Ar	alia		
1½ to 2 ft	.30	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.55	.45	.35
dasycarpum, Silver			
1¼ to 1½ in. cal	1.15	.95	.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	$\begin{array}{c} \textbf{1.30} \\ \textbf{1.50} \end{array}$	$\frac{1.05}{1.25}$.85 1.00
2 to 2½ in. cal	-2.00	1.50	1.25
2 ½ to 3 in. cal	2.75	2.25	1.75
3 to 3½ in. cal	$\frac{3.75}{5.00}$	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$	$\begin{array}{c} 2.50 \\ 3.25 \end{array}$
4 to 5 in. cal	6.00	5.00	
dasycarpum wierii, Cut-l 1¼ to 1½ in. cal	ear 1.15	.95	
1½ to 1¾ in. cal 1¾ to 2 in. cal	1.50	1.25	
1 % to 2 in. cal	$\frac{2.00}{2.50}$	$\substack{\textbf{1.65} \\ 2.00}$	• • • •
2 to 2½ in. cal 2½ to 3 in. cal	3.00	$\frac{2.00}{2.50}$	
negundo, Boxelder		0.0	
8 to 10 ft	75 95	$\begin{array}{c} .60 \\ .75 \end{array}$	
1½ to 1¾ in. cal 1¾ to 2 in. cal	1.15	9.5	
1 % to 2 in. cal palmatum atropurpureum	1.50	1.25	
15 to 18 in	1.00	.85	.75
1½ to 2 ft	1.35	1.10	.85
2 to 2½ ft	$\begin{array}{ccc} . & 2.00 \\ . & 3.00 \end{array}$	$\frac{1.50}{2.50}$	$\begin{array}{c} 1.25 \\ 2.00 \end{array}$
3 to 4 ft	3.00	$\frac{2.50}{3.00}$	2.50
4 to 5 ftpalmatum atropurpureum	. 5.00 dissect	$\frac{4.00}{\mathrm{um}}$	3.25
Red, Cutleaf	0.55		. 1
platanoides, Norway	2.75	2.25	
8 to 10 ft	. 1.50	1.25	1.00
1½ to 1½ in. cal 1½ to 1¾ in. cal	$egin{array}{ccc} 2.00 \ 2.50 \end{array}$	1.65	1.35
1 % to 2 in. cal	2.75	$\begin{array}{c} 2.00 \\ 2.35 \end{array}$	$\begin{array}{c} 1.65 \\ 2.00 \end{array}$
2 to 24/4 in cal	3 25	2.75	2.25
2 ½ to 2 ½ in. cal	$\begin{array}{c} 3.75 \\ 4.50 \end{array}$	$\frac{3.25}{3.75}$	$\begin{array}{c} 2.75 \\ 3.00 \end{array}$
3 to 3½ in. cal	5.00	4.25	3.50
3½ to 4 in. cal palatanoides schwedleri,	6.50	5.25	4.00
6 to 8 ft	. 1.65	1.35	1.10
8 to 10 ft	2.25	1.85	1.50
1½ to 1½ in. cal 1½ to 1¾ in. cal	3.00	$\frac{2.25}{2.50}$	$\begin{array}{c} 1.75 \\ 2.00 \end{array}$
1 % to 2 in. cal	3.50	2.75	2.25
2 to 24/4 in cal	3.75	3.00	
rubrum, Red or Scarlet	4.50	3.75	
2 to 2¼ in. cal	5.50 6.75	4.50	• • • •
2 to 2¼ in. cal	8.00	$\frac{5.50}{6.50}$	
saccharum, Sugar 8 to 10 ft	1.50		4.00
8 to 10 ft	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\substack{\textbf{1.25} \\ \textbf{1.50}}$	$\begin{array}{c} \textbf{1.00} \\ \textbf{1.25} \end{array}$
1 ½ to 1 ¾ in. cal	2.35	1.90	1.50
1 % to 2 in. cal 2 to 2 % in. cal	$\begin{array}{ccc} 2.75 \\ 3.00 \end{array}$	$\frac{2.25}{2.50}$	$\substack{1.75 \\ 2.00}$
24 to 24 in. cal	. 3.75	$\frac{2.50}{3.00}$	۵.00
2½ to 2¾ in. cal	. 4.50	3.50	
AESCULUS-Horsechestnut			
hippocastanum, European 6 to 8 ft		1.50	10
AILANTHUS	2.00	1.00	
glandulosa, Tree of Heav	en	* ^^	
6 to 8 ft		$\begin{array}{c} 1.00 \\ 1.25 \end{array}$	
1	2.00	1.20	

Ui	nit Price Each	in Quant Per 10	ities Per 100
MELANCHIER, Shadblow			100
canadensis, Downy 2 to 3 ft	60	.50	.40
	.00	.00	.40
MORPHA fruticosa. Indigobush			
fruticosa, Indigobush 5 to 6 ft	.50	.40 .45	.30
6 to 8 ft	.55	.45	.35
MPELOPSIS englemanni, Englemann	Creener		
2 year	20	.16	.13
3 yearquinquefolia, Virginia Ci	.30	.25	
2 vear	20	.16	.13
3 year	30	.25	• • • •
veitchii, Boston Ivy 2 year, 1½ to 2 ft 2 year, 2 to 3 ft	40	.30	.25
2 year, 2 to 3 ft	55	.45	.35
HYGDALUS NANA (see P	runus g	landulos	n)
persica, double Flowering Red, White and Pink	Peach		
Red, White and Pink 3 to 4 ft 5 to 6 ft	55	.45	.35
	85	.70	• • • •
NDROMEDA			
racemosa, Sweet Bell 2 to 3 ft. B. & B	. 2.50	2.25	1.75
RALIA PENTAPHYLLA			ix)
spinosa, Hercules Club	•	_	
2 to 3 ft	30 50	.25 .40 .45 .55	.20
4 to 5 ft	55	.45	.35
5 to 6 ft	75	.55	.45
arbutifolia, Red			
arbutifolia, Red 1½ to 2 ft 2 to 3 ft	50	.40	.30
arhutifalia hrillianticcim	o Prilli	.50 lant Red	.40
1½ to 2 ft	50	.40	.30
1½ to 2 ft	60	.50	.40
1½ to 2 ft	50	.40	.30
3 to 4 ft	75	.50 $.60$	$\frac{.40}{.50}$
Z A TJE A			
amoena, Dark Red 12 to 15 in	85	.70	.55
15 to 18 in	85 . 1.15 . 1.50	.95 1.25	.75
1½ to 2 ft	. T.50	$1.25 \\ 1.50$	$\frac{1.00}{1.25}$
arborescens. Sweet Azale			
2 to 3 ft	. 2.25	$\frac{1.90}{2.50}$	1.50
calendulacea, Orange and		∠.50 V	2.00
calendulacea, Orange and 1½ to 2 ft	. 1.75	1.50	1.25
2½ to 3 ft	$\begin{array}{ccc} . & 2.25 \\ . & 2.50 \end{array}$	$\begin{array}{c} 1.75 \\ 2.00 \end{array}$	
2½ to 3 ft	3.25	2.75	
hinodegiri, Bright Red 10 to 12 in	. 1.00	.80	.65
12 to 15 in	1.50	1.25	1.00
1 1/9 10 2 11	. 3.74	$\frac{1.85}{2.25}$	1.50
hinomayo, Pink	0.00		
hinomayo, Pink 12 to 15 in Kaempferi, Hybrid varie Aida, clear pink	. 2.00	1.50	
Aida, clear pink	0.00		
Atalanta, orchid pink Carmen, rose			
Cleopatra, shell pink			
Fedora, salmon rosc			
Mikado, red Othello, orange red			
Othello, orange red 15 to 18 in	$\frac{2.00}{2.75}$	1.50	$\frac{1.25}{1.75}$
1½ to 2 ft 2 to 2½ ft	2.75 4.25	$\frac{2.25}{3.50}$	$\frac{1.75}{2.75}$
2 to 2½ ft Kurume, Flame-red	0.00		
2 to 2½ ft ledifolia alba, White	. 3.00	2.50	
15 to 18 in	. 1.50	1.25	1.00
1½ to 2 ft	. 2.75 h-white	2.25	1.75
ledifolia magnifica, Blus 1½ to 2 ft 2 to 2½ ft	. 2.75	2.25	
	. 3.00	2.50	

THOMAS B. MEEI	HAN C	OMPA	NY,	DRESHER, PA.—BULLETIN NO.	
τ	Init Price			Unit Price in Quantit	tie Pe
AWATEA (Continued)	Each	Per 10	Per 100	Each 10	10
Macrantha, Salmon-red	7.50	1.05	4 00	incana (mastacantha) 12 to 15 in. pots	
12 to 15 in	2.25	$\frac{1.25}{1.85}$	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	22 00 23 333 20 00	• •
1½ to 2 ftmollis, Chinese		2.25	• • • •	cedrus—Cedar atlantica glauca, Blue Atlas	
12 to 15 in	2.00	1.00 1.50		6 to 8 ft	• •
mucronulatum, (Rhodod	2.00	1.75			• •
2 to 2½ ftpoukhanensis, Korean		2.00	• • • •	orbiculatus—Japanese 2 year, 2 to 3 ft30 .25	. 5
12 to 15 in	1.50	$\frac{1.00}{1.25}$		3 year, 3 to 4 ft40 .30	.2
1½ to 2 ftrosea, Deep Pink		1.75	• • • •	CERCIDIPHYLLUM—Katsura Tree japonicum	
2½ to 3 ft	$\begin{array}{ccc} & 2.75 \\ & 3.25 \end{array}$	$\substack{2.25 \\ 2.75}$		10 to 12 ft 4.25	
Vaseyi, Shell Pink 3 to 4 ft		2.75		12 to 14 ft 5.50 CERCIS—Red Bud or Judas	• •
viscosa, Swamp Azalea, 2 to 3 ft	2.00	1.75			
3 to 4 ft	3.00	$\substack{2.00 \\ 2.50}$		0 00 10 10 10 10 10 10 10 10 10 10 10 10	
Yoda-ga-wa, Double Ord	2.00	1.50		chinensis, Chinese 12 to 18 in	
2 to 2½ ft BENZOIN—Lindera—Spice		• • • •		1½ to 2 ft	
aestivalis 2 to 3 ft	30	.25	.20	CHAMAECYPARIS—Retinispora obtusa crippsi, Cripps Golden	
3 to 4 ft BERBERIS—Barberry	50	.40	.30	$1\frac{1}{2}$ to 2 ft 1.50 1.25	
julianae, Evergreen 12 to 15 in. pots	65	.50	.40	0.50	•
15 to 18 in. pots 1½ to 2 ft. pots	90	1.00	.60	2 to 2½ ft 2.25 1.75 .	:
verruculosa, Dwarf Hog 9 to 12 in. pots	lly-leave		.60	3 to 4 ft	
12 to 15 in. pots 15 to 18 in. B. & B	1.25	$\frac{1.00}{1.35}$.80	obtusa nana, Dwarf Hinoki	
18 to 21 in. B. & B thunbergii, Japanese		1.75	• • • •	15 to 18 in	
12 to 15 in		.10 .13	$.08 \\ .10$	pisifera, green and aurea, golden plumosa, green and aurea, golden	
1 ½ to 2 ft	20	$\begin{array}{c} .16 \\ .22 \end{array}$.13	1½ to 2 ft 1.00 .75	
thunbergii atropurpured 15 to 18 in	um, Red			2 ½ to 3 ft 1.50 1.25	
1½ to 2 ft	40	$\begin{array}{c} .30 \\ .40 \end{array}$	$\frac{.25}{.30}$	4 to 5 ft	
2½ to 3 ft minor Box Barberry	55	.45	.35	0.75	
9 to 12 in	$\begin{array}{ccc} \cdot \cdot & \cdot 20 \\ \cdot \cdot & \cdot 25 \end{array}$	$\begin{array}{c} .15 \\ .20 \end{array}$		1½ to 2 ft	
BETULA—Birch alba, European White					
6 to 7 ft	$\begin{array}{ccc} \dots & 1.00 \\ \dots & 2.00 \end{array}$	$\begin{array}{c} .75 \\ 1.50 \end{array}$		4 to 5 ft	
1½ to 1¾ in. cal 1¼ to 2 in. cal	2.50	$\frac{2.00}{2.50}$		squarrosa veitchii, Blue Moss	
134 to 2 in. cal laciniata, Cut-leaf Wee	3.00	$\frac{2.50}{2.50}$		2 to 2½ ft 1.15 .95	1.
6 to 7 ft	1.50	$\frac{1.25}{1.50}$		3 to 4 ft 2.25 1.75	
1½ to 1½ in. cal 1½ to 1¾ in. cal	2.75	$\frac{2.25}{2.50}$			
1¼ to 2 in. cal nigra, Red or River	3.75	3.00		virginica 2 to 3 ft	
6 to 8 ft 1½ to 1½ in. cal	$\begin{array}{ccc} & 1.25 \\ & 2.00 \end{array}$	$\substack{1.00 \\ 1.50}$		3 to 4 ft	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal $1\frac{3}{4}$ to 2 in. cal	2.35	$\frac{1.90}{2.50}$		5 to 6 ft 1.25 1.00	1.
papyrifera 1½ to 1¾ in. cal				CLADRASTIS—Yellowwood	
$1\frac{3}{4}$ to 2 in. cal	3.00			lutea (tinctoria) 3 to 4 ft	
$2 \text{ to } 2\frac{1}{2} \text{ in. cal.} \dots$ $2\frac{1}{2} \text{ to } 3 \text{ in. cal.} \dots$ $3 \text{ to } 3\frac{1}{2} \text{ in. cal.} \dots$	$\begin{array}{ccc} & 4.25 \\ & 4.50 \end{array}$	$\frac{3.75}{4.00}$		5 to 6 ft 2.00 1.50	• •
BIGNONIA—Trumpet Cregrandiflora, Chinese Or	ecper			CLEMATIS paniculata, Sweet. White 2 year	
2 year grafts 3 year grafts	45	$.35 \\ .50$		3 year	
radicans, American Red 2 year heavy	l	.15	.10	CLETHRA—Pepperbush alnifolia, Sweet 14 to 2 ft	
3 year heavy BUDDLEIA, Butterfly Bu	25	.20	.16	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
Ile de France 1½ to 2 ft		.25	.20	CORNUS—Dogwood	
veitchiana 2 to 3 ft		.20	.16	alba (siberica) Red-stemmed 2 to 3 ft	
BUXUS—Boxwood				alternifolia, Bluc 3 to 4 ft	
suffruticosa, Dwarf		$\begin{array}{c} .16 \\ .25 \end{array}$.13	4 to 5 ft	
6 to 8 in. B. & B 8 to 10 in. B. & B	50	.40		florida, White-flowering 3 to 4 ft	
purpurea, Chinese				4 to 5 ft	1
2 to 3 ft 3 to 4 ft		$\overset{.20}{.30}$		6 to 8 ft	3
CALLUNA—Heather vulgaris, Evergreen				10 to 12 ft	J
2 year 3 year		$^{.20}_{.25}$		2 to 3 ft	-1
4 yearCALYCANTHUS—Sweets	40	.30	• • • •	4 to 5 ft	2
floridus, Reddish-purpl	le	.23	.18	6 to 8 ft	4
2 to 3 ft	35	.27	.22	10 to 12 ft 9.50 8.00	6
CARAGANA—Siberian P				kousa 3 to 4 ft	
arborescens, Yellow 2 to 3 ft		.18	.13 .17	4 to 5 ft 1.25 1.00	•
3 to 4 ft		.22 .27	.22	0.00 4.00	
caroliniana, American	1.85	1.50		8 to 9 ft	:
5 to 6 ft	2.50	2.00		2 to 3 ft	
10 to 12 ft	4.25	3.50		4 to 5 ft	1
12 00 14 10		1,00			

						-
Uni	t Price	in Qua Per	ntitles Per	Unit Price i		
	Each	10	100	Each	Per 10	Per 100
cornus—Dogwood—(Continganiculata, Gray	nued)			EUONYMUS—(Continued)		
2 to 3 ft	$.45 \\ .60$	$\frac{.35}{.50}$.40	patens (sieboldianus) Evergreen 15 to 18 in	.20	
lutea, Golden-twig			.10	$1\frac{1}{2}$ to 2 ft	.25	
2 to 3 ft	.30	.25	• • • •	6 to 9 in. 2 year	.16	
corylus—Hazelnut americana, American				9 to 12 in. 2 year	.20	• • • •
3 to 4 ft	.40	.30	.25	9 to 12 ln. 2 year	.20	$.16 \\ .20$
4 to 5 ft	.50 $.60$	$.40 \\ .50$.30 $.40$	12 to 15 in. 3 year	.25 $.30$.25
avellena, European 6 to 8 ft	.65	.50	.40	minimum (Kewensis), Small-leave	d .16	
8 to 10 ft	.85	.70	.60	vegetus, Large-leaf		
avellena atropurpurea, Pur 2 to 3 ft	rple-lea .75	aved .65		9 to 12 in. 2 year	$.20 \\ .25$	$.16 \\ .20$
3 to 4 ft	1.00	.85		15 to 18 in. 3 year40	.30	.25
COTONEASTER	a a la			EXOCHORDA		
horizontals (davidiana) Ro	.75	.60	.50	grandiflora 2 to 3 ft	.20	.16
microphylla, Rockspray 12 to 15 in. pots	.75	.60	.50	3 to 4 ft	.25 $.30$	$.20 \\ .25$
CRATAEGUS—Hawthorn	.,,	.00	100	5 to 6 ft	.45	.35
coccinea, Scarlet-fruited				FAGUS—Beech		
crus galli, Cockspur mollis, large fruited				americana, American 3 to 4 ft. B. & B 2.00	1.50	
4 to 5 ft	$\frac{1.15}{1.50}$	$\frac{.95}{1.25}$	$\substack{.75\\1.00}$	4 to 5 ft. B. & B 3.00 5 to 6 ft. B. & B 3.75	$\frac{2.25}{3.00}$	
5 to 6 ft 6 to 8 ft	1.75	1.50	1.25	5 to 6 ft. B. & B 3.75 6 to 7 ft. B. & B 5.00	4.00	
eordata, Washington Thomas to 10 ft. B. & B	rn 3.50	3.00		sylvatica, European 3 to 4 ft. B. & B 1.50	1,25	1.00
10 to 12 ft. B. & B	4.00			4 to 5 ft. B. & B 2.50	2.00	1.50
oxycantha, English 3 to 4 ft	.85	.65		5 to 6 ft. B. & B 3.00 6 to 8 ft. B. & B 4.50	$\frac{2.50}{3.75}$	$\frac{2.00}{3.00}$
4 to 5 ft 5 to 6 ft	$\frac{1.00}{1.25}$	$\begin{array}{c} .80 \\ 1.00 \end{array}$		8 to 10 ft. B. & B 6.00 asplenifolia, Fernleaf	5.00	4.00
6 to 8 ft	2.00	1.50		3 to 4 ft. B. & B 2.75		
8 to 10 ftpauli, Paul's Scarlet	2.50	2.00		4 to 5 ft. B. & B 4.00 5 to 6 ft. B. & B 5.50		
4 to 5 ft	$\frac{1.50}{2.00}$	$\frac{1.25}{1.75}$		pendula, Weeping		
6 to 7 ft	$\frac{2.00}{2.50}$	1.49		5 to 6 ft. B. & B 6.00		
CRYPTOMERIA				6 to 8 ft. B. & B 7.50 purpurea, Purple-leaved		
japonica lobbi 3 to 4 ft	2.00	1.75		4 to 5 ft. B. & B 3.00		
4 to 5 ft	2.75	2.25		5 to 6 ft. B. & B 4.50 riversi, River's Purple		
5 to 6 ft	$\frac{4.00}{5.00}$	$\begin{array}{c} 3.25 \\ 4.00 \end{array}$		3 to 4 ft. B. & B 3.00 4 to 5 ft. B. & B 4.50		• • • •
7 to 8 ft	6.00	5.00		6 to 8 ft. B. & B 7.50		
CYDONIA—Flowering Quine	e			8 to 10 ft. B. & B 8.50		• • • •
Japonica, Japanese 1½ to 2 ft	.25	.20	.16	FORSYTHEA—Golden Bell intermedia, spectabiliis, fortunei, s	uspens	sa.
DAPHNE				weeping and viridissima		
cneorum, Garland Flower 12 to 15 in. B&B	1.50			2 to 3 ft	$.20 \\ .25$	$\begin{array}{c} .16 \\ .20 \end{array}$
DESMODIUM (see Lespedeza				4 to 5 ft	.30 $.40$	$.25 \\ .30$
DEUTZIA				FRAXINUS—Ash	.10	
gracilis, Dwarf, White 1½ to 2 ft	.25	.20	.16	americana, White	0.5	
2 to 2½ ft	.30	.25	.20	8 to 10 ft	$\begin{array}{c} .75 \\ 1.00 \end{array}$	
gracilis rosea, Pink 1½ to 2 ft	.25	.20		1½ to 1¾ in. cal 2.00 1¾ to 2 in. cal 2.50	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	
lemoinei, Semi-dwarf, Whi	$^{ ext{te}}_{ ext{.25}}$.20	.16	2 to 21/4 in. cal 3.00	2.50	
2 to 3 ft	.30	.25	.20	2½ to 3 in. cal 3.50	3.00	• • • •
3 to 4 ftcrenata alba plena, Double	.40 White	.30	.25	GINKGO—Salisburla—Maldenhair biloba		
erenata rosea plena, Double Pride of Rochester, Double		ζ		6 to 8 ft	$\frac{1.75}{2.75}$	
2 to 3 ft	.25	.20	.16	1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. cal 4.25	3.50	
3 to 4 ft	$\begin{array}{c} .30 \\ .35 \end{array}$	$\begin{array}{c} .25 \\ .30 \end{array}$	$\begin{array}{c} .20 \\ .25 \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{4.50}{6.00}$	
5 to 6 ft	.45	.35	.30	GLEDITSCHIA-Honeylocust		
DIERVILLA sessilifolia (lutea) Southern	n Buch	-honev	zuekla	triacanthos	co	
2 to 3 ft	.30	.25	.20	6 to 8 ft	.60	
3 to 4 ft	.40	.30	.25	tetraptera	4.0	0.0
eLEAGNUS—Ollve angustifolia, Russian				3 to 4 ft	.40 $.50$	$\frac{.30}{.40}$
2 to 3 ft	.30 .40	$\begin{array}{c} .25 \\ .30 \end{array}$		5 to 6 ft 1.00	$\begin{array}{c} .75 \\ 1.00 \end{array}$.60 .75
longipes, Cherry Eleagnus				6 to 8 ft	1.25	
2 to 3 ft	$\begin{array}{c} .50 \\ .60 \end{array}$	$\begin{array}{c} .40 \\ .50 \end{array}$	$\begin{matrix} .30 \\ .40 \end{matrix}$	10 to 12 ft	$\frac{1.50}{1.75}$	
4 to 5 ftumbellata	.75	.60	.50	HAMAMELIS—Witch-hazel		
2 to 3 ft	.50	.40	.30	virginica, American	20	
3 to 4 ft	.55 .85	$.45 \\ .70$	$.35 \\ .55$	2 to 3 ft	.30 .40	
ELSHOLTZIA		• • • • • • • • • • • • • • • • • • • •	, , ,	4 to 5 ft	$.50 \\ .70$	
stauntoni	4.50	0.00		6 to 8 ft 1.00	.85	
1½ to 2 ft	.45	.35	.30	8 to 10 ft	1.00	
campanulata, Red Vein				HEDERA—Ivy hclix, English		
15 to 18 in. B. & B 1½ to 2 ft. B. & B	$\frac{1.25}{1.50}$	$\frac{1.00}{1.25}$		12 to 18 in., 3 in. pots20	.16	
2½ to 3 ft. B. & B	2.25	1.85		HIBISCUS—Althaea—Rose of Sharor	A.	
3 to 4 ft. B. & B	3.00	2.50	• • • •	anemonaeflora, double pink ardens, double blue		
EUONYMUS aiatus, Japanese Winged				boule de feu, double red coelestis, single blue		
2 to 3 ft	$.30 \\ .35$	$\begin{array}{c} .22 \\ .27 \end{array}$.18 $.22$	Duchess de Brabant, double red		
4 to 5 ft	.45	.35	.28	Jean d'Arc, double white purpurea semi-plena, semi-double	purple	
5 to 6 ft	.55 $.70$.45 .55	.35 .45	rubis, single red snowdrift, single white		
americanus, Brook 3 to 4 ft	.30	.25		totus albus, single white		
4 to 5 ft	.40	$\frac{.25}{.30}$		W. R. Smith, single white 2 to 3 ft	.25	.20
bungeanus, Winterberry 3 to 4 ft	.40	.30	.25	3 to 4 ft	$.40 \\ .50$.30
4 to 5 ft	.50	.40	.30	5 to 6 ft	.60	.50
5 to 6 fteuropaeus, European Burnl	lng-bus	sh	.40	6 to 8 ft	.65	.55
3 to 4 ft	.40 .50	$\begin{array}{c} .30 \\ .40 \end{array}$.25	2 to 3 ft	$.25 \\ .35$	
5 to 6 ft	.60	.50		4 to 5 ft	.50	

THOMAS B. MEEHAN COMPANY, DRESHER, PA.—BULLETIN NO.

		e in Quan Per	Unit Price in Quantitie Per Pe			
HYDRANGEA	Each	10	Per 100	Each 10 JUNIPERUS—Juniper, Cedar—(Continued)	10	
arborescens grandiflora, H	$\frac{1}{30}$	f Snow .25	.20	cannarti, Cannart, Dark Green elegantissima, Goldtip		
2 to 3 ft	.40	.30	.25	glauca, Silver Blue keteleeri, Light Green		
paniculata type, single	.25	.20	.16	schotti, Schott, Yellow Green 3 to 4 ft 2.50 2.00	1.6	
3 to 4 ft	$.40 \\ .55$	$\begin{array}{c} .30 \\ .45 \end{array}$	$.25 \\ .35$	4 to 5 ft	$\frac{2.5}{\cdots}$	
paniculata grandiflora, La 1½ to 2 ft	.25	.20	.15	6 to 7 ft	• • •	
2 to 3 ft	.30	.25 .30	.18	8 to 10 ft 7.50 6.00 KALMIA—Mountain Laurel	• • •	
4 to 5 ft	.40 .50	.35 $.40$	$\begin{array}{c} .30 \\ .35 \end{array}$	angustifolia, Sheep Laurel 1½ to 2 ft. B. & B 1.25 1.00		
paniculata grandiflora, Tr	.60	.50	.40	2 to 2½ ft. B. & B 1.65 1.35	• • •	
4 to 5 ft. heavy quercifolia, Oak Leaf	.75	.60	.50	latifolia, collected 1½ to 2 ft	.7	
1½ to 2 ft	.30	.25 $.40$.20	2 to 3 ft. heavy 1.75 1.50 KERRIA	1.2	
3 to 4 ft	.60	.50	.40	japonica fl. pl. 1½ to 2 ft	.3	
aureum, golden 2 to 3 ft	.30	.25	.20	KOLKWITZIA—Beauty Bush		
3 to 4 ft	.40	.30 .45	.25	amabilis, pink 3 to 4 ft		
densiflorum 2 to 2½ ft	.30	.25	.20	4 to 5 ft	• • •	
2½ to 3 ft moserianum, Goldflower	.40	.30	.25	LÂRIX—Larch europaea, European, leptolepis		
12 to 15 in. pots 15 to 18 in. pots	.40	.30 .50	$\begin{array}{c} .25 \\ .40 \end{array}$	(kaempferi), Japanese 5 to 6 ft. B. & B 2.75 2.25	1.7	
ILEX-Holly				6 to 8 ft. B. & B 3.75 3.00 8 to 10 ft. B. & B 4.25 3.50	$\frac{2.5}{3.0}$	
crenata microphylla, Japa 15 to 18 in	1.50	1.25	1.00	10 to 12 ft. B. & B 6.00 5.00	4.0	
1½ to 2 ft	$ \begin{array}{r} 2.50 \\ 3.00 \\ 3.25 \end{array} $	$2.00 \\ 2.50 \\ 2.75$	$\substack{1.50 \\ 2.00}$	LEIOPHYLLUM—Box or Sand Myrtle buxifolium		
$2\frac{1}{2}$ to 3 ft	3.25	3.00	• • • •	2½ to 3 ft. B. & B 2.50 2.25 3 to 3½ ft. B. & B 3.25 2.75	• • •	
12 to 15 in	$\frac{1.50}{2.50}$	$\frac{1.25}{2.00}$	$\frac{1.00}{1.50}$	LESPEDEZA—Bushelover formosa (Desmodium penduliflorum)		
1½ to 2 ftglabra, Inkberry	3.00	2.50	2.00	2 year	.1	
1½ to 2 ft	$\frac{2.25}{2.50}$	$\begin{array}{c} 1.75 \\ 2.00 \end{array}$		LEUCOTHOE		
opaca, American 2 to 3 ft	2.50	2.00	1.50	catesbaei, Drooping Leucothoe 12 to 15 in	.3	
3 to 4 ft	3.50 4.50	$\frac{2.75}{3.75}$	$\frac{2.25}{3.00}$	15 to 18 in	.5	
verticillata, Winterberry				2 to 2½ ft 1.50 1.25 LIGUSTRUM—Privet	• • •	
2 to 3 ft	.30	.25 $.30$.20 .25	amurense, Amoor River 6 to 8 ft. XX heavy75 .60	.5	
4 to 5 ft 5 to 6 ft	.55 .70	.45 .55	.35 .45	ibolium 1½ to 2 ft	.0	
ITEA-Sweetspire virginica				2 to 3 ft	.1	
2 to 2½ ft 2½ to 3 ft	.40 .55	.30 .45	$\substack{.25 \\ .35}$	1½ to 2 ft	.1	
JASMINUM—Jasmine				3 to 4 ft	.1	
nudiflorum, Yellow, early 1½ to 2 ft	.40	.30	.25	12 to 18 in	.1	
2 to 3 ft	.55	.45	.35	ovalifolium, California	.0	
nigra, Black 6 to 8 ft	1.25	1.00		2 to 3 ft	0.0	
JUNIPERUS-Juniper, Ceda				vulgare, European 2 to 3 ft		
chinensis, Chinese 3 to 4 ft	2.50	2.00		3 to 4 ft	.2	
4 to 5 ft		3.00 3.75	• • • •	LIQUIDAMBAR—Sweet Gum styraciflua		
pfitzeriana, Pfitzer's 1½ to 2 ft	1.35 1.65	1.15 1.35	0.90 1.10	6 to 8 ft		
2 to 2½ ft	$\frac{1.65}{2.50}$	$\begin{array}{c} 1.35 \\ 2.00 \\ 2.50 \end{array}$	1.10 1.50 2.00	$1\sqrt[3]{4}$ to 2 in. cal 3.00 2.50		
4 to 5 ft	5.25	4.50	3.50	2 ½ to 2 ½ in. cal 4.50 2 ½ to 3 in. cal 5.50		
1½ to 2 ft	$\frac{1.00}{1.25}$	$\frac{.80}{1.00}$.65 .85	LIRIODENDRON—Tulip Tree		
2½ to 3 ft	1.50	1.25	1.00	tulipifera 6 to 8 ft		
2 to 2½ ft	$\frac{1.00}{1.25}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$.60 .75	1½ to 1¾ in. cal 2.00 1.50 1¾ to 2 in. cal 2.50 2.00		
3 to 4 ft	1.50 2.50	$1.25 \\ 2.00$	1.00 1.50	LONICERA—Honeysuekle	• • •	
5 to 6 ft	3.00	2.50	2.00	fragrantissima, Fragrant 2 to 3 ft	.2	
excelsa stricta, Spiny Gre	.65	.55	.45	3 to 4 ft	.3	
15 to 18 in	1.00 1.35	$\begin{array}{c} .80 \\ 1.10 \\ 1.25 \end{array}$.65 $.90$	halliana, Hall's Japanese 2 year	.1	
2 to 2½ ft 2½ to 3 ft	$\frac{1.50}{2.00}$	1.25 1.50	$\frac{1.00}{1.25}$	3 year	.1	
3 to 4 ft	2.75 3.25 4.00	2.25 2.75 3.25	1.75	podocarpa, late 2 to 3 ft		
depressa plumosa, Andorr	4.00 a or]	3.25 Plumed	• • • •	3 to 4 ft	• • •	
spreading 15 to 18 in	.75	.60	.50	morrowi, Drooping	• • •	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1.10}{1.25}$	$\frac{.90}{1.05}$.70	2 to 3 ft	.1 .2 .3	
2½ to 3 ftsabina, Savin	2.00	1.50	1.25	4 to 5 ft	.3	
15 to 18 in	$\frac{1.00}{1.25}$	$\begin{array}{c} .80 \\ 1.05 \end{array}$.65 .85	tatarica, Pink and White 2 to 3 ft	.1	
2 to 2½ ft	$\frac{1.50}{2.00}$	$1.25 \\ 1.50$	$1.00 \\ 1.25$	3 to 4 ft	.1	
3 to 3½ ftsquamata meyeri, Meyer	2.50	2.00	1.50	5 to 6 ft	.2	
1½ to 2 ft	$\frac{1.75}{2.75}$	$\frac{1.50}{2.25}$	$\frac{1.25}{1.75}$	2 to 3 ft		
virginiana, Red Cedar 5 to 6 ft				4 to 5 ft	• • •	
6 to 7 ft	2.25 3.00 4.25	$\frac{1.75}{2.50}$		LYCIUM—Matrimony Vine chinensis		
8 to 10 ft	4.25 6.75 9.00	$\frac{3.50}{5.50}$		1½ to 2 ft	.1	
10 (0 12 11,	9.00	7.50		3 to 4 ft	.1	

						
	it Price i: Each	n Quar Per 10	ntitles Per 100	Unit Price	Per	Per
QUERCUS—Oak	Басн	10	100	ROSA—Rose Each	10	100
alba, white 6 to 8 ft	2.00	1.50	1.25	blanda, Meadow lucida, Virginia		
8 to 10 ft 1½ to 1½ in. cal	$\frac{3.00}{4.25}$	$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$	palustris, Swamp 15 to 18 in30	.25	.20
$1\frac{1}{4}$ to $1\frac{3}{4}$ in. cal	$\begin{array}{c} 5.50 \\ 6.75 \end{array}$	4.50 5.50	$\begin{array}{c} 3.50 \\ 4.50 \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$.30	.25
2 to 2¼ in. cal coccinea, Scarlet	9.00	7.50	6.00	hugonis, Golden Rose of China 2 to 3 ft60	.50	
8 to 10 ft	$\frac{2.75}{3.75}$	$\frac{2.25}{3.00}$	$\substack{1.75 \\ 2.50}$	multiflora, Japonica 2 to 3 ft20	.16	.40
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	4.50 5.50	$\frac{3.75}{4.50}$	$\frac{3.00}{3.75}$	3 to 4 ft	.20	.16
2 to $2\frac{1}{4}$ in. cal	$6.75 \\ 8.50$	$\frac{5.50}{7.00}$	$\frac{4.50}{5.75}$	setigera, Prairie wichuraiana, White Trailing	0.0	
macrocarpa, Mossycup 6 to 8 ft	2.50	2.00	1.50	1½ to 2 ft	$.20 \\ .25$	$.16 \\ .20$
8 to 10 ft 1¼ to 1½ in. cal 1½ to 1¾ in. cal		$\frac{2.50}{3.00}$	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	rugosa, Red, Japanese 1½ to 2 ft	.23	.18
1% to 2 in. cal	$\frac{4.50}{6.00}$	3.75 5.00	$\frac{3.00}{4.00}$	2 to 3 ft	.30	.25
2 to 2¼ in. cal palustris, Pin		6.00		SALISBURIA (sec Ginkgo) SALIX—Wittow		
6 to 8 ft 8 to 10 ft	1.50	$\frac{1.00}{1.25}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$	babylonica, Weeping 5 to 6 ft	.60	.50
$1\frac{1}{4}$ to $1\frac{1}{4}$ in. cal	2.50	$\frac{1.50}{2.00}$	$\frac{1.25}{1.50}$	6 to 8 ft 1.15	.90	.75
1 % to 2 in. cal 2 to 2 ½ in. cal	$\frac{3.50}{6.00}$	2.75 4.75	$\frac{2.25}{3.50}$	caprea, Pussy 2 to 3 ft	.20	.16
rubra, Red	7.50	6.00	4.50	3 to 4 ft	.25	.20
6 to 8 ft	2.50	$\frac{1.25}{2.00}$	1.00 1.50	4 to 5 ft	.60 .75	.50 .60
1¼ to 1½ in. cal 1½ to 1¾ in. cal		2.50 3.00	$\frac{2.00}{2.50}$	6 to 8 ft	1.00	.75
1 ¾ to 2 in. cal 2 to 2 ¼ in. cal	5.00 6.00	$\frac{4.00}{5.00}$	$\frac{3.25}{4.00}$	SAMBUCUS—Eiderberry canadensis, American		
velutina, Black 6 to 8 ft		1.75		2 to 3 ft	$\begin{array}{c} .20 \\ .25 \end{array}$.16 $.20$
8 to 10 ft		2.50 3.00		SOPHORA—Scholar Tree		
1½ to 1¾ in. cal RHODODENDRON	4.25	3.50	• • • •	japonica, Chinese 3 to 4 ft 1.00	.75	.60
. carolinianum, Pink Carolin		9 5 0		4 to 5 ft	$\frac{1.25}{2.00}$	$1.00 \\ 1.50$
2 to 3 ft. B. & B 3 to 4 ft. B. & B	$\frac{2.75}{3.75}$	$\frac{2.50}{3.25}$	• • • •	6 to 7 ft	$\substack{2.50\\3.00}$	
catawbiense, Catawba 1½ to 2 ft. B. & B		$\frac{1.25}{2.00}$	$\frac{1.00}{1.50}$	SORBARIA—False Spiraea		
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B maximum, Native Rosebay		3.00	$\frac{1.30}{2.50}$	aitchisoni, Kashmir 2 to 3 ft	.25	.20
1½ to 2 ft		$\frac{1.25}{2.00}$	$\frac{1.00}{1.50}$	3 to 4 ft	.30	.25
2 to 2½ ft	3.00	2.50 3.75	$\frac{2.00}{3.00}$	aucuparia, European	9.00	
maximum, collected		1		1½ to 1¾ in. cal 2.50 1¾ to 2 in. cal 3.00	$\frac{2.00}{2.50}$	
2 to 3 ft	2.50	1.65 2.25	$\frac{1.35}{2.00}$	2 to 2½ in. cal 3.50 SPIRAEA	3.00	• • • •
4 to 5 ft micranthum, Manchurian		2.75	2.50	arguta, Garland, White 2 to 3 ft	.20	.16
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B		$\begin{array}{c} 1.75 \\ 2.00 \end{array}$		3 to 4 ft	.25 .30	.20
mucronulatum (Azalea), K 1½ to 2 ft. B. & B		1.75		billardi, Pink		
2 to 2½ ft. B. & B	2.50	2.00		2 to 3 ft	.16	.13
Album Elegans, white				4 to 5 ft	.25	.20
Amphion, pink, white cent Catawbiense grandiflora, re				15 to 18 in	.16 $.20$.12 $.16$
Dr. Dresselhuys, red Everestianum, lilac				2 to 2½ ft	.25 White	.20
Lee's Dark Purple, deep p Mrs. C. S. Sargent, light re				15 to 18 in	$\begin{array}{c} .16 \\ .20 \end{array}$.13 .16
Pres. Lincoln, deep lilac Purpureum Elegans, purple				2 to 2½ ft	.25	.20
Roseum Elegans, rosy pink 15 to 18 in	2.00	$\frac{1.75}{2.25}$		2 to 3 ft	$.25 \\ .30$	$.20 \\ .25$
1½ to 2 ft	3.25	$\frac{2.25}{2.75}$ $\frac{3.75}{3.75}$		4 to 5 ft	.40	.30
RHODORA	11.50			$1\frac{1}{2}$ to 2 ft	$.20 \\ .25$	$.16 \\ .20$
canadensis $1\frac{1}{2}$ to 2 ft. B. & B	1.50	1.25		3 to 4 ft	.30	.25
RHODOTYPOS-White Kerr	la			$\begin{array}{cccccccccccccccccccccccccccccccccccc$.20 .25	$\begin{array}{c} .16 \\ .20 \end{array}$
kerroides, Jet Bead 2 to 3 ft	.30	.25	.20	Van Houttei, White 2 to 3 ft20	.15	.10
3 to 4 ft	.40	.30	• • • •	3 to 4 ft	$.20 \\ .25$.15
canadensis (aromatica) Fra		4.5	95	5 to 6 ft	.30	.25
2 to 3 ft	.55 .70	.45 .55 .70	.35 .45 .55	STEPHANANDRA flexuosa, Cutleaf		
4 to 5 ftcopallina, shining	.85			2 to 3 ft	$.20 \\ .25$	$\begin{array}{c} .16 \\ .20 \end{array}$
2 to 3 ft	$.40 \\ .55$.30 .45	.25 .35	4 to 5 ft	.30	.25
cotinus, Smoketree 2 to 3 ft	.60	.50		japonica, Japanese		
3 to 4 ft 4 to 5 ft	.75 1.10	.90		4 to 5 ft	.75 1.75	
5 to 6 ftglabra, Smooth	1.50	1.25		8 to 10 ft 3.00 SYMPHORICARPOS—Snowberry	2.50	• • • •
3 to 4 ft	.30 .50	$\substack{.25 \\ .40}$.20	chenaulti, Chenault racemosus, White		
5 to 6 fttyphina, Staghorn	.60	.50	.40	vulgaris, Coralberry 1½ to 2 ft	.16	.13
3 to 4 ft	.30 .40	$\begin{array}{c} .25 \\ .30 \end{array}$.20	2 to 3 ft	.20 $.25$.16 $.20$
5 to 6 fttyphina laciniata, Cut-leaf	.55	.45	.35	SYRINGA—Lilae		.20
2 to 3 ft	.30 .40	$.25 \\ .30$.20 .25	chinensis (rothomagensis) Chine 2 to 3 ft	.30	
4 to 5 ft	.55	.45	.35	3 to 4 ft	.40	
ROBINIA—Rose-Acacia hispida, Pink				chinensis saugeana, Purple Chir 2 to 3 ft	nese .25	.20
2 to 3 ft	.30 .50	$.25 \\ .40$.20	3 to 4 ft	.30	.25

		in Ouan		Land Date in Once	414100
	Unit Price Each	e in Quar Per 10	Per 100	Unit Price in Quai Per Each 10	Per 100
syringa-Lilac-(Contingaponica, Japanese Tree	nued)		200	CHINESE ARBOR VITAE—(Continued) orientalis elegantissima, Yellow Column	200
josikaea, Hungarian 3 to 4 ft	50	.40	.30	3 to 4 ft	
4 to 5 ft	75	.50 $.60$	$.40 \\ .50 \\ 75$	5 to 6 ft 3.00 2.50 6 to 7 ft 4.00 3.50	2.00 3.00
6 to 7 ft villosa, Late 3 to 4 ft		1.00 .25	.75	TILIA—Linden	0,00
4 to 5 ft	50	.40	.30	Americana, American 1¼ to 1½ in. cal 2.00 1.50	1.25
vulgaris, Common Purp 2 to 3 ft	le 20	.16	.13	1½ to 1¾ in. cal 2.75 2.25 1¾ to 2 in. cal 3.00 2.50	$1.75 \\ 2.00 \\ 2.50$
3 to 4 ft	30	$^{.20}_{.25}$	$\frac{.16}{.20}$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3.00
5 to 6 ftvulgaris alba, Common 2 to 3 ft	White	.30 $.25$.25	3 to 3½ in. cal 6.00 5.00 cordata, Small-leaf European	
3 to 4 ft	40	.30 $.40$	$\frac{.25}{.30}$	1¼ to 1½ in. cal 2.50 2.00 1½ to 1¾ in. cal 3.50 2.85	$\substack{1.65\\2.25}$
5 to 6 ft FRENCH LILACS—Name	60	.50	.40	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2.75}{3.25}$
—on own roots. Alphonse Lavalle, light				2¼ to 2½ in. cal 6.50 5.25 plataphyllos, Large-leaf European	4.25
Charles Joly, red-mauve Charles The Tenth, redd	e, semi-do lish purp	uble le, single	9	8 to 10 ft	$1.25 \\ 1.50 \\ 2.00$
Ludwig Spaeth, reddish Marie Le Gray, white,	single	single		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.50
Michael Buchner, lilac, Mme. Cassimir Perrier, Pres. Grevy, blue, doub	white, do	ouble		$2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal 5.50 4.50 $2\frac{1}{2}$ to 3 in. cal 6.00 5.00	3.50
Rubra de Marley, light Wm. Robinson, violet-p	blue, sing ink, doub			tomentosa (argentea), Silver-leaf Europe 1¼ to 1½ in. cal 3.75 3.00 1½ to 1¾ in. cal 4.50 3.75	2.50
2 to 3 ft	70	.45 .55	.35	$1 \frac{3}{4}$ to 2 in, cal 5.50 4.50	$\begin{array}{c} 3.00 \\ 3.50 \\ 4.25 \end{array}$
4 to 5 ft TAXODIUM—Bald Cypres		.70	.55	$2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal 7.75 6.50	4.20
distichum, American 4 to 5 ft. B. & B		2.50	2.00	vulgaris, European 8 to 10 ft	1.35 1.65
5 to 6 ft. B. & B 6 to 8 ft. B. & B		$\frac{3.75}{5.00}$	$\frac{3.00}{4.00}$	$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 3.00 2.50 $1\frac{3}{4}$ to 2 in. cal 3.50 2.85	2.00° 2.35
TAXUS—Yew repanda English, Spread		4.05	1.00	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2.85}{3.50}$
15 to 18 in	2.00	$1.25 \\ 1.50 \\ 2.25$	$1.00 \\ 1.25 \\ 1.75$	2½ to 3 in. cal 6.00 5.00 TSUGA—Hemloek	,
2 to 2½ ft	3.75	3.00	2.50	canadensis 2 to 3 ft 1.50 1.25	1.00
1½ to 2 ft	2.75	$\frac{1.75}{2.25}$	$\frac{1.50}{1.75}$	3 to 4 ft	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$
2½ to 3 ft	4.50	$3.00 \\ 3.50 \\ 4.50$	2.50	5 to 6 ft	
cuspidata, Spreading J 15 to 18 in	apanese	1.25	1.00	ULMUS—Elm	
1½ to 2 ft	3.00	$\frac{2.00}{2.50}$	$\substack{1.50\\2.00}$	Americana, American 6 to 8 ft	.40
2½ to 3 ft	5.50	$\begin{array}{c} 3.25 \\ 4.50 \\ 6.00 \end{array}$		8 to 10 ft	$.50 \\ .65 \\ .75$
4 to 5 ft cuspidata capitata, Upr	10.00 ight Japa	nese		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \textbf{1.00} \\ \textbf{1.50} \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\dots 2.50	$\frac{1.25}{2.00}$	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2.00}{2.50}$
2 ½ to 3 ft		$\frac{3.00}{4.00}$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3.50
specimens 5 to 6 ft. heavy		7.50		moline, Moline 8 to 10 ft	$\begin{array}{c} .75 \\ 1.00 \end{array}$
specimens brevifolia, Dwarf Japar	nese	1.50	1.25	$1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal 2.00 1.50 1.4 to 2 in. cal 2.75 2.25	$\frac{1.25}{1.75}$
12 to 15 in	2.75	$\frac{2.25}{2.75}$	$\frac{1.25}{1.75}$ $\frac{2.25}{2}$	2 to 2½ in. cal 3.50 2.75 2½ to 2½ in. cal 5.00 4.00	2.25
2 to 2½ ft THUYA—Arbor Vitae	4.50	3.50		pumila, Chinese 8 to 10 ft	
occidentalis, American 3 to 4 ft	1.00	.80	.60	1 ¼ to 1 ½ in. cal 1.75 1.50 1 ½ to 1 ¾ in. cal 2.25 1 ¾ to 2 in. cal 3.00	
5 to 6 ft	$\begin{array}{c} \cdot \cdot \cdot & 1.50 \\ \cdot \cdot \cdot & 2.50 \end{array}$	$\begin{array}{c} 1.25 \\ 2.00 \end{array}$	$\frac{1.00}{1.50}$	VACCINIUM, Highbush Blueberry	
6 to 8 ft	5.00	$\begin{array}{c} 2.75 \\ 4.00 \\ 6.00 \end{array}$	$\begin{array}{c} 2.25 \\ 3.25 \\ 5.00 \end{array}$	corymbosum 2 to 3 ft	
elegantissima, Goldenti 3 to 4 ft	p 1.25	1.00	.75	VIBURNUM—Snowbail	
4 to 5 ft 5 to 6 ft 6 to 7 ft	2.50	$\begin{array}{c} 1.25 \\ 2.00 \\ 2.75 \end{array}$	$1.00 \\ 1.50 \\ 2.25$	americanum, American Cranberry opulus, European Cranberry	
globosa, Globe 1½ to 2 ft		.90	.70	opulus sterilis, Common Snowball 2 to 3 ft	$^{.20}_{.25}$
2 to 2½ ft 2½ to 3 ft	$\begin{array}{ccc} \dots & 1.35 \\ \dots & 2.00 \end{array}$	$\frac{1.10}{1.50}$	$\begin{array}{c} .90 \\ 1.25 \end{array}$	4 to 5 ft	.35 .45
3 to 3½ ft lutea, George Peabody 3 to 4 ft		$\frac{2.00}{1.25}$	1.50 1.00	Carlesi, Fragrant 1½ to 2 ft. B. & B 1.25 1.00	
4 to 5 ft 5 to 6 ft	2.50	$\frac{2.00}{2.75}$	$\frac{1.50}{2.25}$	2 to 3 ft. B. & B 1.50 1.25 cassinoides, Witherod	
6 to 7 ft plicata, Moss	4.50	3.75	3.00	2 to 3 ft	.30 $.40$ $.50$
3 to 4 ft	$\frac{2.00}{1}$	$\begin{array}{c} .95 \\ 1.50 \\ 2.25 \end{array}$	$\begin{array}{c} .75 \\ 1.25 \\ 1.75 \end{array}$	4 to 5 ft	.25
6 to 7 ftpyramidalis, Pyramidal	3.75	3.00	2.50	3 to 4 ft	.30 .35
3 to 4 ft	$\begin{array}{c} \dots & 1.65 \\ \dots & 2.00 \end{array}$	$1.35 \\ 1.70 \\ 2.25$	$1.10 \\ 1.35 \\ 1.75$	5 to 6 ft	.45
5 to 6 ft 6 to 8 ft 8 to 10 ft	3.50	$\frac{2.25}{2.75}$ $\frac{4.00}{2.00}$	$\frac{1.75}{2.25}$ $\frac{3.25}{3.25}$	2 to 3 ft	.20
wareana, Siberian 2 to 2½ ft	1.00	.80	.65	4 to 5 ft	.35
2½ to 3 ft	$\begin{array}{ccc} \dots & 1.25 \\ \dots & 2.00 \end{array}$	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	$\frac{.80}{1.25}$	3 to 4 ft	$.35 \\ .40 \\ .50$
orientalis nana aurea, E Golden	Berckman	's Dwarf		prunifolium, Black Haw 2 to 3 ft	.5%
12 to 15 in	1.15	.60 $.95$.50 .75	3 to 4 ft	1.00
1½ to 2 ft	2.75	$\frac{1.35}{2.25}$ $\frac{3.00}{3.00}$	$\frac{1.75}{2.50}$	rhytidophyllum, Leather-leaf 2 to 2½ ft. B. & B 1.15 .95 2½ to 3 ft. B. & B 1.50 1.25	.7\$ 1.00
= 75 00 0 10111111111111					

THOMAS B. MEEHAN COMPANY, DRESHER, PA.—BULLETIN NO. 1

	Unit Price	in Quar Per	ititles Per	Unit Prie	e in Qua	ntitie Pe
	Each	10	100	Each	10	10
IBURNUM—Snowball—			200	WEIGELA	20	
	•	1)		candida, White		
sieboldi (Japonicum), S				nan variegata, Variegated-leaf		
2 to 3 ft	40	.30	.25	rosea, Pink		
3 to 4 ft	50	.40	.30	2 to 3 ft	.20	.1
4 to 5 ft	70	.55	.45	3 to 4 ft	.25	.2
tomentosum, Doublefile				4 to 5 ft	.30	.2
plicatum, Japanese				5 to 6 ft	.40	.3
2 to 3 ft	30	.25	.20		.40	.0
3 to 4 ft		.30	$.\overline{25}$	Eva Rathke, Red	95	0.
4 to 5 ft		.45	.35	1½ to 2 ft	.25	.20
wrighti, Wright		.10	.00	2 to 3 ft	.30	.2
2 to 3 ft	55	.45	.35	WISTARIA		
3 to 4 ft		.55	.45	sinensis, Blue and alba White		
4 to 5 ft		.75	.60	2 to 3 ft	.45	.3
4 00 0 10		. 1 0	.00	3 to 4 ft	.55	.4
INCA-Periwinkle or M	yrtle			4 to 5 ft 1.00	.80	.6
minor				5 to 6 ft	.100	.8
3 in. pots	17	.13	.10			
heavy clumps	20	.15	$.\overline{1}\overset{\circ}{2}$	YUCCA		
		.10		filamentosa, Adam's Needle	0.0	4.
ITEX-Chaste-tree			- 1	2 year	.20	.10
agnus castus, Lilac	0.0	0.5	0.0	3 year	.25	.20
2 to 3 ft	30	.25	.20	4 year	.30	.2

CHINESE TONKIN CANES

Nurserymen realize now that when they go to the labor and expense of planting a block of Shade Trees, it pays to have every tree produce revenue. Crooked and "bow leg" trees are a dead loss. It pays to buy stakes and make every tree salable. First cost is very little as the stakes can be used over and over again. We import our Cane Stakes direct from China.

Bale of 300 canes, 7 ft. long, ¾ to ¾ in. diameter at butt, \$12.50 per bale Bale of 300 canes, 10 ft. long, ¾ to ¾ in. diameter at butt, \$16.00 per bale Sold in full bales only.

GALVANIZED STEEL WIRE STAKES

4 ft. @ \$2.00 per 100; \$15.00 per 1,000

GRANULATED PEAT

Finest material for propagating purposes or for mixing with soil to loosen it up and add numus. Especially is this necessary where ericaceous plants are propagated. Mixed with sand in your hot beds will give you a better stand of softwood cuttings and reduce fungus and damping off. For winter mulching of lawns and all kinds of flower and seed beds it is far superior to manure, as it does not have to be raked off in the spring and does not contain weed goods.

far superior to manure, as it does not have to be raked on in the spring that tain weed seeds.

We are handling only the very best quality. All brands are not alike in quality. Some brands appear to be cheaper, but there is a great difference in quantity packed in bale. Most cheap brands have 14 to 16 bushels per bale. Our bales run 20 bushels, dry weight. Therefore, in our bales you get a greater quantity of material.

1 to 9 bales at \$2.50 per bale

25 bales and up at \$2.00 per bale

10 bales and up at \$2.25 per bale

RAFFIA

We are HEADQUARTERS for Raffia for budding and tying purposes and our brands are the Standard of the Raffia market.

The LEADING nursery firms demand the best—A. A. Westcoast—others find X. X. Superior, X. X. Superior or Red Star suitable for their purpose.

Send for our price list before buying, or, better still, just place your order with us and we will give you our best price.

we will give you our best price.

RUBBER BUDDING STRIPS

Write for samples and prices.

NURSERY SUPPLIES

We carry in stock a full line of Spades, Pruning and Budding Knives, Pruning Shears, Labels, and Tree Callipers. Write for price list.

1855-8 040

BUREAU OF PLANT INDUSTRY Fruit and Vegetable Crops and Diseases

WASHINGTON, D. C.

U. S. DEPARTMENT OF AGRICULTURE,

Permit No. 1 Dresher, Pa. Ic PAID U. S. Postage Sec. 562 P. L. & R.

Return Postage Guaranteed DRESHER, MONTG. CO., PA. Wholesale Nurserymen

THOMAS B. MEEHAN CO.